

Finish & SuperFinish

Airless diaphragm pumps

- Wide range of applications
- Various performance classes
- Innovative QLS technology

Powerful and robust diaphragm pumps

When it comes to the handling of a wide variety of materials with a single unit, diaphragm pumps are the best choice. There are also Airless paint spraying systems — **powerful and versatile** for **optimum surface quality**. This is ensured by **QLS technology**, the patented long stroke diaphragm technology from WAGNER. Optimised hydraulics and the special valve technology provide improved performance.

The longer stroke of the diaphragms enables a very wide range of materials to be worked with, from thin liquids to high-viscosity materials. Far less stress is placed on the components due to the reduced stroke frequency. This significantly extends their service life and reduces maintenance costs. **SF** stands also for **s**ervice-**f**riendliness.




Fig.: This geometry allows the diaphragms to move smoothly, ensuring both reliability and durability.

Various performance classes


There is the right SuperFinish system for every area of use.

| Material | Object size: | Finish 230 | SuperFinish 17ex | SuperFinish 23 Plus | SuperFinish 27 | SuperFinish 31 |
|--|--------------|---------------|---------------------|------------------------|-------------------|-------------------|
| release agents and oils recommended nozzle size: FineFinish 0.008" - 0.014" | small | ✓ | ✓ | ✓ | ✓ | ✓ |
| | medium | | ✓ | ✓ | ✓ | ✓ |
| | large | | | | ✓ | ✓ |
| undercoats, primers, fillers, synthetic resin-based paints, acrylic paints recommended nozzle size: FineFinish 0.008" - 0.014" | small | ✓ | ✓ | ✓ | ✓ | ✓ |
| | medium | | ✓ | ✓ | ✓ | ✓ |
| | large | | | | ✓ | ✓ |
| emulsion paints, latex paints recommended nozzle size: FineFinish 0.017" - 0.027" | small | | | ✓ | ✓ | ✓ |
| | medium | | | | ✓ | ✓ |
| | large | | | | | ✓ |
| anti-corrosive agents, flame retardants, fabric adhesives recommended nozzle size: 0.019" - 0.031" | small | | | | ✓ | ✓ |
| | medium | | | | ✓ | ✓ |
| | large | | | | | ✓ |

✓ = suitable

| Technical data | Finish 230 | SuperFinish 17ex | SuperFinish 23 Plus | SuperFinish 27 | SuperFinish 31 |
|--------------------|---------------|---------------------|------------------------|-------------------|-------------------|
| Motor output | 0.56 kW | 0.23 kW | 1.3 kW | 1.5 kW | 1.7 kW |
| Voltage | 230 V / 50 Hz | | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| Weight | 17 kg | 15.4 kg | 29 kg | 40 kg | 43 kg |
| Max. delivery rate | 1.2 l/min | 1.6 l/min | 2.5 l/min | 3.0 l/min | 3.5 l/min |
| Max. nozzle size | 0.019" | 0.017" | 0.023" | 0.027" | 0.031" |

Fully equipped for daily usage



special suction intake filter and its particularly fine mesh.

Perfectly suited enamel devices

Equipped with a hopper these spraypacks are suitable for processing small quantities or fast colour change. The hoses have small cross sections. Top enamel tips quarantee a perfect surface. TempSpray heating hoses are an option.



01 - SuperFinish 17ex Airless Enamel - The painting specialist for perfect

surfaces

Compact and robust: perfect mobility thanks to compact dimensions

Economical and low-maintenance: extremely low-wear construction for cost-efficient working operation

Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption

Flexible: Very small volume processing with hopper or work directly from the original container

02 - SuperFinish 17ex AirCoat - The FineFinish specialist for perfect surfaces

With AirCoat technology: Particularly fine atomisation for a perfect finish

Economical and low-maintenance: extremely low-wear construction for cost-efficient working operation

Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption

Flexible: Very small volume processing with hopper or work directly from the original container

03 - Finish 230 Enamel - The entry-level model for professional Airless spraying

Ideally suited for small enamelling works

As smallest unit of its class it excels with a good value-for-money ratio

Easy to move: Practical carrying handle and built-in hose holder

04 - SuperFinish 23 pert for small paint

Entry-level Airless uni up to 800 m²

Straightforward hand operation: Multifunct safety - It is impossibl and off under pressur

Improved performand brushless motor

FineFinish painting w special FineFinish noz

01 - Scope of delivery

- · Basic unit SuperFinish 17 ex
- HP hose DN3, max. 27 MPa, NPS 1/4", 7.5 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle L10 208/510
- Gun filter red, 1 item, 180 MA, 0.084 mm MW, extra fine
- Hopper, 5-litre set

Art. No. 2364 966

02 - Scope of delivery

- Basic unit SuperFinish 17ex on frame
- HP double hose; material DN3; max. 27 MPa; air DN6; 1/4",7.5 m
- AirCoat gun AC 4500, incl. red air cap and nozzle holder
- Nozzle ACF3000 11/40
- · AirCoat regulator
- Hopper, 5-litre set

Art. No. 2364 967

03 - Scope of delivery

- Basic unit Finish 230
- Hopper, 5-litre set
- HP hose DN4, max. 27 MPa, NPS 1/4", 7.5 m
- Airless gun Vector Pro, 1/4", incl. TradeTip 3 nozzle holder, with 2-finger trigger
- 2SpeedTip nozzle L10 208/510
- Gun filter red, 1 item, 180 MA, 0.084 mm MW, extra fine

Art. No. 0311 062

04 - Scope of delive

- Basic unit SF 23 Plus
- 5 litre hopper, M36x
- HP hose DN3, max. 2
- Airless gun Vector Grand and School versichten Grand and School versichten Grand auf der Grand auf de
- 2SpeedTip nozzle L1
- Gun filter red, 1 item MW, extra fine

Art. No. Skid version Art. No. Cart version

^{*} Art. No. 2353392 and 2353393 with compressor: differing scope of delivery. More information on www.wagner-group.com



Plus Enamel - Exjobs

t for painting objects

ling and simple ion switch for greater e to turn the unit on

e: No-maintenance

ith hopper and the

7 MPa, NPS 1/4", 7.5 m

ip, 1/4", incl. TradeTip

, 180 MA, 0.084 mm

2-finger trigger

208/510

ry

05 - SuperFinish 23 Plus TempSpray -Enamel specialist with heated hose

Perfect surface results thanks to heated hose

Also ideal for highly viscous materials such as VOC enamels

The TempSpray system heats the material directly in the hose, thereby ensuring perfect viscosity without thinning, as well as optimum paint application

06 - SuperFinish 23 Plus AirCoat - Mobile all-in-one solution for enamelling jobs

With AirCoat technology: Very fine atomisation for a perfect finish

With AirCoat technology: Very fine atomisation for a perfect finish

Particularly easy handling

The industry standard, quality-crafted by WAGNER

07 - Finish 230 AirCoat - Fully-featured mobile solution for painting tasks including built-in compressor

With AirCoat technology: Particularly fine atomisation for a perfect finish

Perfectly matching components: Little overspray and highly efficient application

Extremely versatile and mobile: builtin, quiet-running, high-performance compressor

Particularly easy handling

05 - Scope of delivery

- Basic unit SF 23 Plus
- 5 litre hopper, M36x2
- TempSpray H126 basic unit, 10 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle L10 208/510
- Gun filter red, 1 item, 180 MA, 0.084 mm MW, extra fine

Art. No. Skid version 2341 495 Art. No. Cart version 2341 496

06 - Scope of delivery*

- Basic unit SF 23 Plus
- Hopper, 5-litre set
- HP double hose; material DN3; max. 27 MPa; air DN6; 1/4", 7.5 m
- AirCoat gun AC 4600 Professional, incl. blue air cap and nozzle holder
- Nozzle ACF 3000 11/40
- · AirCoat regulator, fitting kit

Art. No. Skid version 2341 489 Art. No. Cart version 2341 490 Art. No. with compressor Skid 2353392 Art. No. wit compressor auf Cart 2353393

07 - Scope of delivery

- Basic unit Finish 230
- HP double hose; material DN3; max. 27 MPa; air DN6; 1/4", 7.5 m
- AirCoat gun AC 4600 Professional, incl. green air cap, nozzle holder and nozzle ACF 3000 11/40

Art. No. 2301 689

2341 491 2341 492

Spray large areas in no time

These diaphragm pumps convince with a wide variety of different applications. Whether inside or outside, ceilings or facades: the pumps always ensure the desired performance. The rigid suction system allows the unit to suck the material directly from the original container. Large tyres permit to transport the units easily on tough construction sites. The spraypacks are well complemented by nozzle extentions or the InlineRoller.



01 - SuperFinish 23 Plus Emulsion - The compact solution - strong yet lightweight

Smallest in its class: mobile and light

For small emulsion jobs up to 200 m²

Robust: Perfectly designed for demanding construction site use

PumpRunner: Perfect for clean, tidy transport

Use with 20 m hoses guaranteed with any material

01 - Scope of delivery

- Basic unit SuperFinish 23 Plus
- Suction system complete, for SF 23 Plus, incl. PumpRunner
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

Art. No. Skid version 2341 493 Art. No. Cart version 2341 494

02 - SuperFinish 27 Emulsion - The versatile solution - For almost any job up to 800 m²

Particularly long service life: Tried and trusted diaphragm technology with QLS technology

Flexible: work directly from the original container or process small volumes with top-mounted container (accessories necessary)

Perfect for site work: Robust cart and large wheels make manoeuvring on the construction site a simple task

02 - Scope of delivery

- Basic unit SuperFinish 27
- · Suctions system complete "QuickClean"
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D20 115/421

Art. No. 0341 051

03 - SuperFinish 31 Emulsion - The powerful all-rounder

Versatile and powerful: Handles an extremely wide spectrum of materials

Flexible: work directly from the original container or process small volumes with top-mounted container (accessories necessary)

No compromises: High performance ensures you're always on the safe side

03 - Scope of delivery

- · Basic unit SuperFinish 31
- · Suction system complete "QuickClean"
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D20 115/421


Art. No. 0341 022











Accessories

Hoppers (01)

| ldeal for small quantities and frequent colour changes | Article No. |
|--|-------------|
| 5 litre hopper, M36x2 | 0341 265 |
| 5 litre hopper, with TopClean | 0341 268 |
| 20 litre hopper, M36x2 | 0341 266 |

Airless guns

| Article No. |
|-------------|
| 0538 040 |
| |
| 0538 041 |
| |
| 0538 043 |
| 0538 228 |
| 0538 229 |
| 0538 230 |
| 0502 119 |
| |

Airless nozzles + nozzle holders

| Available in many different sizes | Article No. |
|---|-------------|
| 2SpeedTip nozzles (05) | 0271 XXX |
| TradeTip 3 FineFinish nozzles (06) | 0554 XXX |
| TradeTip 3 nozzles (07) | 0553 XXX |
| Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles (08) | 0289 390 |

Find an overview of all nozzles in our Download Area on **www.wag-ner-group.com** or in our nozzle brochure.

Airless hoses (09)

| Robust high pressure hoses for spraying Airless | Article No. |
|---|-------------|
| HP hose DN4, max. 27 MPa, M16x1.5, 7.5 m | 9984 510 |
| HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984 507 |

Gun filters (10)

| Avoid nozzle-bloackages | Article No. |
|--|-------------|
| Gun filter yellow, set 10 pieces, 100 MA, 0.14 mm MW, fine | 0097 023 |
| Gun filter red, set 10 pieces, 180 MA, 0.084 mm MW, extra fine | 0097 022 |
| Gun filter white, set 10 pieces, 50 MA, 0.31 mm MW, medium | 0097 024 |

AirCoat guns

| Guarantees perfect surface results (11) | Article No. |
|---|-------------|
| AC 4600 Professional, incl. blue air cap and nozzle holder | 0394 150 |
| AC 4600 Professional, incl. red air cap and nozzle holder | 0394 151 |
| AC 4600 Professional, incl. green air cap and nozzle holder | 0394 152 |

AirCoat hoses

| Flexible hoses for AirCoat applications (12) | Article No. |
|---|-------------|
| Material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984 595 |
| Material DN3, max. 27 MPa, air DN6, 1/4", 10 m | 9984 596 |
| Material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m | 2302 378 |
| Material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302 379 |
| | |

| Other | Article No. |
|---|-------------|
| SpeedShield | 0538 905 |
| Large volume container 100l, for SF 27/31 | 2374 309 |

























Our professional guarantee convinces. Take our word for it.

Extend your 3 years standard guarantee to 5 WAGNER professional years. That is unique within the industry. Register now online at **www.wsb-benelux.eu/login** or scan the QR- code with your smartphone!





Images may vary from actual products.



W5B Finishing Equipment

WSB Finishing Equipment

De Heldinnenlaan 200 3543 MB Utrecht

3543 MB Utrecht

T +31 (0)30 241 41 55 **F** +31 (0)30 241 17 87

E verkoop@wsb-benelux.nl W www.wsb-benelux.eu WSB Finishing Equipment

Veilinglaan 56-58 1861 Wolvertem

T +32 (0)2 269 46 75

F +32 (0)2 269 78 45

E verkoop@wsb-benelux.be
W www.wsb-benelux.eu

For further accessories please contact your specialized dealer of confidence or consult our online catalogue on www.wsb-benelux.eu/files/catalog/brands/wagner-kompas-2017-zonder-prijzen.pdf