

The Wagner logo consists of a black triangle pointing upwards, positioned above the word "WAGNER" in a bold, black, sans-serif font. The logo is set against a bright yellow rectangular background.

**WAGNER**

**ProSpray**



# ProSpray

## Airless piston pumps

- Perfectly matched performance categories
- Innovative product features
- Proven professional quality

# Robust piston pump generation with high suction performance

The 3rd piston pump generation from WAGNER convinces thanks to perfectly matched performance categories and a wide range of applications both indoors and outdoors. WAGNER offers the right ProSpray piston pump for every area of application, from lacquers and emulsions right up to highly viscous materials on small and large construction sites.

Material	Object size:	ProSpray 3.20	ProSpray 3.21	ProSpray 3.23	ProSpray 3.25	ProSpray 3.29	ProSpray 3.31	ProSpray 3.34	ProSpray 3.39
<b>release agents, oils, undercoats, primers, fillers, synthetic resin-based paints, acrylic paints</b> recommended nozzle size: FineFinish 0.008" - 0.014"	up to 200 m <sup>2</sup>	✓	✓	✓	✓	✓	✓	✓	✓
	200 m <sup>2</sup> - 800 m <sup>2</sup>			✓	✓	✓	✓	✓	✓
	more than 800 m <sup>2</sup>				✓	✓	✓	✓	✓
<b>emulsion paints, latex paints</b> recommended nozzle size: 0.017" - 0.027"	up to 200 m <sup>2</sup>	✓	✓	✓	✓	✓	✓	✓	✓
	200 m <sup>2</sup> - 800 m <sup>2</sup>					✓	✓	✓	✓
	more than 800 m <sup>2</sup>						✓	✓	✓
<b>anti-corrosive agents, flame retardants, fabric adhesives</b> recommended nozzle size: 0.021" - 0.031"	up to 200 m <sup>2</sup>					✓	✓	✓	✓
	200 m <sup>2</sup> - 800 m <sup>2</sup>						✓	✓	✓
	more than 800 m <sup>2</sup>							✓	✓
<b>airless filler</b> recommended nozzle size: 0.027" - 0.039"	up to 200 m <sup>2</sup>								✓

✓ = suitable



# With innovative ProSpray product features

## Clearly arranged: Digi-Trac-Control

With the digital display you can read out and handle machine data, consumption figures, runtimes and much more. The intelligent deadband control, SlowMotion function and FrequentClean guarantee trouble-free work and quick cleaning.

## No nozzle blockades

The high pressure filter is **easily accessible and quick to clean**. Three different filter inserts (fine, medium, coarse) ensure an optimal match with the material.

## Maintenance made easy

With the push of a button the piston is oiled and thus the packings are conserved.



## Low maintenance costs

The practical, **self-adjusting packings** lead to less wear and are easy to change. They have a **service life up to 50% longer** than the current packings

## Tidied up

Practical hose and gun holder

## Maintenance-free, brushless direct current motor

Due to the improved performance, the motor works even more efficiently at low and also at high speeds. The continuous paint pressure measurement controls the motor speed automatically, thus ensuring a constant material pressure.

## Simple and quick

Change of the suction system without tools.

## Tilting cart

Fast change of the container. Site-optimised tyres allow to transport the pump conveniently.



The shown product features aren't available for all ProSpray units.

Technical Data	ProSpray 3.20	ProSpray 3.21	ProSpray 3.23	ProSpray 3.25	ProSpray 3.29	ProSpray 3.31	ProSpray 3.34	ProSpray 3.39
Motor output	1.00 kW	1.03 kW	1.03 kW	1.10 kW	1.72 kW	1.84 kW	1.95 kW	2.19 kW
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Weight	13.6 kg	16 kg	16 kg	25.5 kg	38 kg	38 kg	43 kg	44 kg
Max. delivery rate	1.6 l/min	2.0 l/min	2.3 l/min	2.6 l/min	3.0 l/min	3.8 l/min	4.5 l/min	5.0 l/min
Max. nozzle size	0.021"	0.023"	0.024"	0.027"	0.029"	0.032"	0.034"	0.039"

# Small and compact with robust frame

The small piston pumps are specially suitable for small projects with a size up to 200 m<sup>2</sup>.



## 01 - ProSpray 3.20 Emulsion Spraypack - Compact entry-level piston pump for professional airless

Excellent price-performance ratio: Ideal for those who spray small areas

Robust and easy: impact-protected on/off switch, durable and easily accessible packings and more user-friendly details

Construction sites optimised frame: Practical hose reel for easy transport

Innovative ProSpray product features: see overview

### 01 - Scope of delivery

- Basic unit ProSpray 3.20
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Pro, 1/4", incl. TradeTip 3 nozzle holder, with 4-finger trigger
- TradeTip 3 nozzle 419

**Art. No. 0532 004**



## 02 - ProSpray 3.21 Emulsion Spraypack - Small and compact - the introduction to piston pump technology

Excellent price-performance ratio: Ideal for those who spray small areas

For trouble free operation: Integrated high pressure filter

Excellent performance data: 0.023" nozzle size, 2.0 l/min max. delivery rate, 16 kg weight

Innovative ProSpray product features: see overview

### 02 - Scope of delivery

- Basic unit ProSpray 3.21
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

**Art. No. 2308 256**



## 03 - ProSpray 3.23 Emulsion Spraypack - The expert for small-area projects

Including flexible suction system for original container


Easy to handle: Compact design for space-saving storage

Innovative ProSpray product features: see overview

### 03 - Scope of delivery

- Basic unit ProSpray 3.23
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

**Art. No. 2308 258**





03

**ProSpray 3.23 Emulsion Spraypack -**  
**Specialist for painting and emulsion jobs**  
 Professional painter for intake directly from the  
 hopper for ease of transport and  
 storage. Innovative ProSpray product features: see overview



04 - Enamel

**04 - ProSpray 3.23 Enamel Spraypack -**  
**Specialist for enamelling small areas**  
 Professional painter with hopper and enamel tip for small  
 quantities of material and quick colour changes  
 Easy to handle: Compact design for ease of transport and  
 space-saving storage  
 Innovative ProSpray product features: see overview



05

**05 - ProSpray 3.25 Emulsion Spraypack -**  
**Compact emulsion unit ideal for mid-sized objects**  
 Electronic regulation, information and control directly at the  
 unit: shows the current pressure, pressure options can be  
 determined, called up and much more  
 Easy to handle: Compact design for ease of transport and  
 space-saving storage  
 Innovative ProSpray product features: see overview

**04 - Scope of delivery**

- Basic unit ProSpray 3.23
- 5 litre hopper
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle L10 208/510
- Gun filter red, 180 MA, 0.084 mm MW, extra fine

**Art. No. 2308 273**

**05 - Scope of delivery**

- Basic unit ProSpray 3.25
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

**Art. No. 2308 259**

**All features at a glance**

Product	New sealings / packings	Inlet valve pusher	Automatic lubrication	Large high pressure filter	Brushless motor	Digi-Trac-Control
ProSpray 3.20	✓	✓				
ProSpray 3.21	✓	✓	✓	✓		
ProSpray 3.23	✓	✓	✓	✓	✓	
ProSpray 3.25	✓	✓	✓	✓	✓	✓



# Mobile on large construction sites

Ideal for large projects: With large tyres the spraying unit can be used also on tough construction sites. All units with cart are equipped with a digital display. This allows to read out and process machine data, consumption rates, operating time and much more.



## 01 - ProSpray 3.25 - Emulsion Spraypack - Compact emulsion unit ideal for mid-sized objects

Lightweight: Just 25.5 kg

Easy to handle: Compact design for ease of transport and space-saving storage

Innovative ProSpray product features: see overview

### 01 - Scope of delivery

- Basic unit ProSpray 3.25
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

Art. No. 2308 260

## 02 - ProSpray 3.29 - Emulsion Spraypack - Sturdy Airless device in medium price bracket

Tough, low-maintenance unit

Ideally equipped for emulsion work up to 800 m<sup>2</sup>

Innovative ProSpray product features: see overview

### 02 - Scope of delivery

- Basic unit ProSpray 3.29
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D10 111/419

Art. No. 2308 261

## 03 - ProSpray 3.31 - Emulsion Spraypack - The reliable unit for large-area emulsion jobs

Maintenance-free, brushless motor

High area coverage combined with ease of operation

Innovative ProSpray product features: see overview

### 03 - Scope of delivery

- Basic unit ProSpray 3.31
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D20 115/421

Art. No. 2308 262





04

**04 - ProSpray 3.34 - Emulsion Spraypack - For high-viscosity materials as flame retardants and anti-corrosive agents**

Powerful piston pump that is ideally suited for large building sites and also handles high-viscosity materials

Faster than ever: Quick-change fluid section for ease of servicing and shorter reaction times

Innovative ProSpray product features: see overview

**04 - Scope of delivery**

- Basic unit ProSpray 3.34
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D20 115/421

**Art. No. 2308 263**

05 - Emulsion



**05 - ProSpray 3.39 - Emulsion Spraypack - Powerful emulsion unit for large areas**

More power: Greater suction performance thanks to the low position of the suction valve

Twice as fast with emulsion: Parallel two gun operation possible

Innovative ProSpray product features: see overview

**05 - Scope of delivery**

- Basic unit ProSpray 3.39
- HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m
- Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger
- 2SpeedTip nozzle D40 117/427
- Double connector A=1/4"NPS x 3/8"NPT
- Connector A=3/8"NPT x A=1/2"NPS

**Art. No. 2351 261**

06 - Filler



**06 - ProSpray 3.39 - Filler Spraypack - Entry-level filler unit**

More power: Greater suction performance thanks to the low position of the suction valve

The most powerful pump in the ProSpray family: Even able to cope with Airless spraying fillers

Innovative ProSpray product features: see overview

**06 - Scope of delivery**

- Basic unit ProSpray 3.39
- HP hose DN13, max. 25 MPa, NPSM 1/2", 15 m
- Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m
- Airless gun AG 19, 25 MPa, F-thread 1/4", incl. TradeTip 3 nozzle holder
- 2SpeedTip nozzle S10 527/235

**Art. No. 2308 264**

# All features at a glance

Product	New sealings / packings	Inlet valve pusher	Automatic lubrication	Large high pressure filter	Brushless motor	Digi-Trac-Control	Tilting cart	Fast change color stage
ProSpray 3.25	✓	✓	✓	✓	✓	✓		
ProSpray 3.29	✓		✓	✓	✓	✓	✓	
ProSpray 3.31	✓		✓	✓	✓	✓	✓	
ProSpray 3.34	✓		✓	✓	✓	✓	✓	✓
ProSpray 3.39	✓		✓	✓	✓	✓	✓	✓

# Accessories

## Pole guns (01)

No need for ladders or scaffoldings	Part no.
Pole gun 120 cm, 1/4" nozzle holder, F-thread 7/8"	0296 441
Pole gun 200 cm, 1/4" nozzle holder, F-thread 7/8"	0296 442

## Airless guns

High quality and durable for daily use	Part no.
Airless gun Vector Pro, 1/4", incl. TradeTip 3 nozzle holder, with 4-finger trigger (02)	0538 040
Airless gun Vector Pro, 1/4", incl. TradeTip 3 nozzle holder, with 2-finger trigger	0538 041
Airless gun Vector Grip, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger (03)	0538 043
Small grip, for Vector Grip gun	0538 228
Medium grip, for Vector Grip gun	0538 229
Large grip, for Vector Grip gun	0538 230
AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder (04)	0502 119
AG 19, 25 MPa, G-thread 1/4"; incl. TradeTip 3 nozzle holder	2341 127

## Airless nozzles + nozzle holders

Available in many different sizes	Part no.
2SpeedTip nozzles (05)	0271 XXX
TradeTip 3 FineFinish nozzles	0554 XXX
TradeTip 3 nozzles (06)	0553 XXX
Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles (07)	0289 390

You will find an overview of all nozzles on [www.wagner-group.com](http://www.wagner-group.com) or in our nozzle brochure.

## Gun filters (08)

Avoid nozzle-blockages	Part no.
Gun filter yellow, set 10 pieces, 100 MA, 0.14 mm MW, fine	0097 023
Gun filter red, set 10 pieces, 180 MA, 0.084 mm MW, extra fine	0097 022
Gun filter white, set 10 pieces, 50 MA, 0.31 mm MW, medium	0097 024

## High-pressure hoses (09)

For various materials and radii of action	Part no.
HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m	9984 574
HP hose DN6, max. 27 MPa, NPSM 1/4", 30 m	9984 575

## Large volume container

Lightweight aide for large areas	Part no.
Large volume container (10)	2309 956
Container Connector PS 3.39	2383 128

## Other accessories

Practical helper in everyday life	Part no.
PumpRunner (11)	2306 987
InlineRoller in plastic box, incl. HP hose DN4, max. 27 MPa, 7.5 m, extension 0.5 m, woven plush paint roller, short pile 13 mm and much more (12)	0345 010



Subject to modifications

## Our professional guarantee convinces. Take our word for it.

Extend your 3 years standard guarantee to 5 WAGNER professional years. That is unique within the industry. Register now online at [www.wsb-benelux.eu/login](http://www.wsb-benelux.eu/login) or scan the QR-code with your smartphone!



Images may vary from actual products.

## WSB Finishing Equipment

### WSB Finishing Equipment

De Heldinnenlaan 200  
3543 MB Utrecht

T +31 (0)30 241 41 55  
F +31 (0)30 241 17 87  
E [verkoop@wsb-benelux.nl](mailto:verkoop@wsb-benelux.nl)  
W [www.wsb-benelux.eu](http://www.wsb-benelux.eu)

### WSB Finishing Equipment

Veilinglaan 56-58  
1861 Wolvertem

T +32 (0)2 269 46 75  
F +32 (0)2 269 78 45  
E [verkoop@wsb-benelux.be](mailto:verkoop@wsb-benelux.be)  
W [www.wsb-benelux.eu](http://www.wsb-benelux.eu)

For further accessories please contact your specialized dealer of confidence or consult our online catalogue on [www.wsb-benelux.eu/files/catalog/brands/wagner-kompas-2017-zonder-prijzen.pdf](http://www.wsb-benelux.eu/files/catalog/brands/wagner-kompas-2017-zonder-prijzen.pdf)