

A worker wearing a respirator mask and dark clothing is sandblasting a red metal frame. The worker is holding a sandblasting gun and directing a stream of abrasive material at the frame. The background shows a workshop environment with various tools and equipment.

# STATIONARY Wood- & Metalworking

**BE UNSTOPPABLE!**

[wagner-group.com/contractor](http://wagner-group.com/contractor)

# METAL- & WOODWORKING WITH WAGNER

## METAL- & WOODWORKING PROJECTS IN SPRAY BOOTHS AND EXPLOSION PROOF AREAS

Although they are very different materials, when it comes to coating both wood and metal, reliable and high-quality equipment is essential to ensure professional results. Wood is a breathing and active natural material, and as such it requires a reliable finish, which in some cases also needs to be capable of absorbing stresses. To protect metals from corrosion and produce an ideal surface finish, the finest material atomisations and 1K or 2K materials are the only solutions. WAGNER's technically sophisticated units add the perfect finishing touch to all your creations, producing top quality surface finishes.

AirCoat technology delivers particularly outstanding results - with both water-thinnable and solvent-based materials. WAGNER solutions ensure you are ideally equipped for professional craftwork tasks in carpentry, joinery and metalworking workshops, as well as for working with steel structures, aluminium items and countless other objects. To meet demands for perfectly crafted products every time.

## WAGNER WORKSHOP UNITS

WAGNER produces a wide range of solutions for stationary wood- and metalworking in workshops. We use innovative technologies to guarantee optimal coating, ensuring attractive and durable surfaces. Including AirCoat technology, for excellent quality even at low spraying pressure. All our units for this area are explosion proof, to provide peace of mind when working in spray booths. Furthermore, decades of WAGNER know-how pave the way for improvements in productivity and process security, as well as reducing special waste expenses and operating costs.

All our models are user friendly, reliable and economical.



All WAGNER devices marked with this symbol are suitable for use in potentially explosive areas.

# INNOVATION SINCE 1947

Perfect surfaces and added value are our passion. Bringing colour, protection and function to surfaces is our mission. We dedicate all of our technical expertise to your objects and products, and support you with personal service. Using innovative technologies and highly efficient, reliable and user-friendly solutions, we are constantly setting new standards in surface technology.



Anyone purchasing a WAGNER paint spraying unit automatically receives a three-year manufacturer's warranty. But we can do more: If you register online, you can extend this warranty for a further two years, free of charge!

[wagner-group.com/3plus2](http://wagner-group.com/3plus2)






**CARPENTERS, JOINERS,  
METALWORKERS AND PAINTERS**

Pneumatic piston pumps or double diaphragm pumps in Airless or AirCoat versions - WAGNER units are distinguished by their versatility and perfect surface finishes.

































**APPLICATIONS IN  
EXPLOSION-PROOF AREAS**


WAGNER's range of units for stationary wood- and metalworking in workshops has been specifically designed for areas with potential explosive atmospheres.




**BUILDING FURNITURE, WINDOWS,  
STAIRS AND KITCHENS**

Achieve the same high-quality coating results on wood or metal surfaces of all sizes.

	FINEFINISH 20-30S AIRCOAT CART VERSION	FINEFINISH 20-30S AIRCOAT SKID VERSION	FINEFINISH 40-15 S AIRLESS	WILDCAT 18-40 AIRCOAT WITH HOPPER	WILDCAT 18-40 AIRCOAT ON STAND
Spraying method					
Product image (may differ)					
Art. No.	2309799	2309802	2309804	366127	366126
Categorie	ILGR	ILGR	ILGR	ILGR	ILGR
Price €	2.760,00	2.540,00	2.160,00	3.390,00	3.270,00
Technology					
Weight	11 kg	11 kg	9 kg	15 kg	15 kg
Drive					
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Max. nozzle size	0,019	0,019	0,013	0,019	0.019"
Max. operating pressure	160 bar, 16 MPa	160 bar, 16 MPa	250 bar, 25 MPa	144 bar, 14.4 MPa	144 bar, 14.4 MPa
Max. delivery rate	1.8 l/min	1.8 l/min	0.9 l/min	2.4 l/min	2.4 l/min
Multiplication ratio (1:1)	20:1	20:1	40:1	18:1	18:1
Volume flow per double stroke (cm <sup>3</sup> )	30 cm <sup>3</sup>	30 cm <sup>3</sup>	15 cm <sup>3</sup>	40 cm <sup>3</sup>	40 cm <sup>3</sup>
Air inlet pressure	2-8 bar, 0.2-0.8 MPa	2-8 bar, 0.2-0.8 MPa	2-7 bar, 0.2-0.7 MPa	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa
Material					
Recommended intensity					

 Water and solvent-based lacquers, lacquer paints, oils, separating agents

 Synthetic resin varnishes, PVC lacquers, 2K lacquers

 Primers, fillers

 XVLP / HVLP

 AirCoat


 Piston pump






























 FineSpray

 Airless

 Diaphragm pump

 Plaster spraying

 Spiral pumps

	WILDCAT 18-40 AIRCOAT CART VERSION	WILDCAT 18-40 AIRCOAT WITH WALL MOUNT	PUMA 28-40 AIRLESS ON STAND	PUMA 28-40 AIRCOAT ON STAND	PUMA 28-40 AIRCOAT CART VERSION
Spraying method		-			
Product image (may differ)					
Art. No.	366125	2301851	2303397	367168	367167
Categorie	ILGR	ILGR	ILGR	ILGR	ILGR
Price €	3.460,00	2.550,00	3.460,00	3.840,00	4.020,00
Technology					
Weight	15 kg	15 kg	16 kg	16 kg	16 kg
Drive					
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Max. nozzle size	0.019"	0.019"	0.023"	0.023"	0.023"
Max. operating pressure	144 bar, 14.4 MPa	144 bar, 14.4 MPa	224 bar, 22.4 MPa	224 bar, 22.4 MPa	224 bar, 22.4 MPa
Max. delivery rate	2.4 l/min	2.4 l/min	2.4 l/min	2.4 l/min	2.4 l/min
Multiplication ratio (1:1)	18:1	18:1	28:1	28:1	28:1
Volume flow per double stroke (cm <sup>3</sup> )	40 cm <sup>3</sup>	40 cm <sup>3</sup>	40 cm <sup>3</sup>	40 cm <sup>3</sup>	40 cm <sup>3</sup>
Air inlet pressure	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa	2-8 bar, 0.2-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa
Material					
Recommended intensity					



Fillers, rust protection paints



Rust protection paints, latex paints



Rust protection paints



Residential



Large residential



Commercial



Double diaphragm pump



Electric



Explosion-protection



Turbine



Pneumatic


































Temp Spray



Petrol-driven



	PUMA 28-40 AIRCOAT WITH WALL MOUNT	ZIP 52 (ALU / INOX)	ZIP 52 PERFECT FLOW	ZIP 52 SPRAYPACK	COBRA 40-10 AIRCOAT SKID VERSION
Spraying method					
Product image (may differ)					
Art. No.	2301854	2301832 / 2301836	2301838	2309669	322112
Categorie	ILGR	ILCGR	ILCGR	ILCGR	ILGR
Price €	3.020,00	1.220,00 / 2.150,00	1.090,00	1.980,00	4.750,00
Technology					
Weight	16 kg	3.8 kg	3.8 kg	3.8 kg	19 kg
Drive					
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	-
Max. nozzle size	0.023"	-	-	-	0.023"
Max. operating pressure	224 bar, 22.4 MPa	8 bar, 0.8 MPa	8 bar, 0.8 MPa	8 bar, 0.8 MPa	250 bar, 25 MPa
Max. delivery rate	2.4 l/min	52 l/min	52 l/min	52 l/min	2 l/min
Multiplication ratio (1:1)	28:1	1:1	1:1	1:1	40:1
Volume flow per double stroke (cm <sup>3</sup> )	40 cm <sup>3</sup>	-	-	-	10 cm <sup>3</sup>
Air inlet pressure	2.5-8 bar, 0.25-0.8 MPa	1-8 bar, 0.1-0.8 MPa	1-8 bar, 0.1-0.8 MPa	1-8 bar, 0.1-0.8 MPa	2.5-6 bar, 0.25-0.6 MPa
Material					
Recommended intensity					

 Water and solvent-based lacquers, lacquer paints, oils, separating agents

 Synthetic resin varnishes, PVC lacquers, 2K lacquers

 Primers, fillers


 XVLP / HVLP

 AirCoat


 Piston pump

 FineSpray

 Airless

 Diaphragm pump

 Plaster spraying

 Spiral pumps



Fillers, rust protection paints



Rust protection paints, latex paints



Rust protection paints



Residential



Large residential



Commercial



Double diaphragm pump



Electric



Explosion-protection



Turbine



Pneumatic



Temp Spray



Petrol-driven

# FINEFINISH 40-15 S AL



## The entry-level Airless unit for wood-working applications

- **Perfect finish thanks to the special FineFinish Airless paint nozzle**
- **Ideal entry-level unit:** high performance at an attractive price
- **Compact and lightweight:** ideal for small painting jobs
- **Straight from the original container:** handles low to medium-viscosity materials



**Spray the best surface finish:** mit der AG 14 Airless gun. In combination with the TradeTip 3 FineFinish nozzle system you will achieve first class surfaces.

**Sturdy frame:** provides a safe, stable stand for all requirements in day to day workshop operation.

**Versatile:** All paint wetted parts are made of stainless steel. This makes the FineFinish 40-15 S particularly suitable for the application of water and solvent based materials, undercoats, lacquers, stains and glazes.

**Practical pressure gauge:** ensures in conjunction with the inlet air regulator that the perfect spraying pressure is always available.

**Continuous operating reliability:** thanks to minimised pulsation.

**With rigid suction system:** the material can be applied directly from the container.



0.013";



0.9 l/min

### FINEFINISH 40-15 S AL SPRAYPACK

2309804 2160,00

Basic unit FF 40-15 stand-mounted	-
HP hose DN4; max. 27 MPa; NPS 1/4"; 7.5 m	9984573
Airless gun AG 14; G thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A
TradeTip 3 FineFinish nozzle 512	554512
Ball valve R1/4"; G1/4"; PN 350 SST	2334488
Return pipe DN6-G1/4"- 100mm-PE	2331752
Suction pipe; stainless steel; rigid	2324158

### ACCESSORIES

	Art. no.	€
Vector Grip gun	538043	337,00
Vector Infinity gun	538085	430,00
TradeTip 3 FineFinish nozzles	554xxx	51,40
Nozzle extension 15 cm, G-thread	556074	70,90
Nozzle extension 30 cm, G-thread	556075	76,00
HP hose DN3, max. 27 MPa, NPS 1/4", 7.5 m	9984583	92,00
HP hose DN4, max. 27 MPa, NPS 1/4", 7.5 m	9984753	97,00



# FINEFINISH 20-30 S AC



## Introduction to the world of AirCoat technology with proven piston pump technology

- **With AirCoat technology:** particularly fine atomisation for a perfect finish
- **Compact and lightweight:** ideal for small painting jobs
- **Flexible:** optionally available with a hopper for handling small material quantities or with direct intake for medium-sized projects



**Spray brilliant surfaces:** with the AC 4600 P AirCoat gun. Free-running air and material swivel joints and replacement of the filter without tools allow convenient working.

**5 litre top reservoir:** for the application of small quantities. Thanks to the ease of cleaning, fast colour changes are possible at any time.

**Precisely adjustable air flow:** due to the integral AirCoat regulator. The actual values can easily be read off from the pressure gauge at any time.

**Versatile:** All paint wetted parts are made of stainless steel. This makes the FineFinish 20-30 S particularly suitable for the application of water and solvent based materials, undercoats, lacquers, stains and glazes.

**Handy cart:** allows flexible working and easy transport.

**Also available as a Spraypack on a stand, with a rigid suction system.**



0.019"



1.8 l/min

### FINEFINISH 20-30 S AC CART VERSION

2309799 2760,00

Basic unit FF 20-30

HP double hose; material DN3; max. 27 MPa; air DN6; 1/4"; 7.5 m

9984595

AirCoat gun AC 4600 Professional, incl. red air cap and holder

394157

Nozzle ACF3000 11/40

379XXX

AirCoat regulator set

340250

Ball valve R1/4"; G1/4"; PN 350 SST

2334488

Return pipe DN6-G1/4" - 100mm-PE

2331752

Hopper 5 litre; incl. suction pipe

2332169

### FINEFINISH 20-30 S AC SKID VERSION

2309802 2540,00

### ACCESSORIES

Art. no.

€

HP double hose, material DN3, max. 27 MPa, air DN6, 1/4"; 7.5 m

9984595 174,00

AirCoat gun AC 4600 P, incl. red air cap and holder (without nozzle)

394157 638,00

AirCoat gun AC 4500 P, incl. red air cap and holder (without nozzle)

2368271 506,00

Suction hose, DN16

2324110 171,00

Suction pipe, stainless steel, rigid, DN16

2324158 116,00

5 litre hopper

2332169 249,00



# WILDCAT 18-40 AC



## A versatile solution with modular equipment

- **Flexible use, thanks to a modular construction:** available as a standard 4-leg stand version, a mobile cart version, for small quantities with a hopper or with a wall mount for stationary operation
- **No more icing in continuous operation:** thanks to the IceBreaker motor



- **Highly economical:** operates even at low inlet air pressures of > 1 bar

**Perfect painting results:** with the ergonomic AC 4600 professional AirCoat gun. The free-running air and material swivel joints and the filter housing which can be changed by hand make it especially user friendly.

**Flexible twin hose:** has thanks to its small cross section of DN3 only a little material in the hose and is particularly easy to handle. It is protected by a robust casing.



**Practical hopper:** ideal for processing small quantities and for fast color changes. Additional spraypacks are also available with rigid or flexible suction system and are therefore particularly suitable for processing large quantities from the original container.

**Easily maintained fluid section:** is easily replaceable. Large inlet and outlet valves enable an optimal material flow.

**Reliable:** All paint wetted parts are made of stainless steel, which greatly promotes operational safety.

 ≤ 0.019";  2.4 l/min

### WILDCAT WITH HOPPER 366127 3390,00

Piston pump Wildcat 18-40 on stand	-
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157
Nozzle ACF3000 11/40	379XXX
AirCoat controller add-on kit, without sight glass	2328611
Release combination assy.	2329023
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978
5 litre hopper, incl. intake elbow	2332169

### WILDCAT ON STAND 366126 3270,00

### WILDCAT ON CART 366125 3460,00

### WILDCAT ON WALL MOUNT 2301851 2550,00

#### Spraypack on stand



#### Spraypack on cart



#### On wall mount without hose & gun



#### ACCESSORIES

	Art. no.	€
Suction pipe, stainless steel, rigid	2324158	116,00
Suction hose DN16	2324110	171,00
5 litre hopper	2332169	249,00

# PUMA 28-40 AC/AL



## The classic AirCoat piston pump: powerful and versatile

- **The most powerful AirCoat piston pump:** in our product range
- **Also available as an Airless version**
- **No more icing in continuous operation:** thanks to the IceBreaker motor
- **Small details that simplify maintenance:** easily replaceable fluid section, swivelling suction hose, etc.



**Spray the best surface quality:** The Airless version is equipped with the Airless gun AG 14 and the TradeTip 3 FineFinish nozzle for first-class surfaces. The AirCoat variants convince with the ergonomic AirCoat gun AC 4600 Professional with free-running air and material swivel joints.

**IceBreaker air motor:** ensures low pulsation, a uniform spray jet and a long service life, thanks to its intelligent internal geometry.

**Easily maintained fluid section:** is easily replaceable. Large inlet and outlet valves enable an optimal material flow.

**Rigid suction system:** for direct processing of the material from the original container.

**Reliable:** All paint wetted parts are made of stainless steel, which greatly promotes operational safety.


**Robust and stable:** Available with a four-legged stand for stationary use or as a mobile cart version.



Spraypack on stand

Spraypack on cart

On wall mount without hose & gun



0.023" ; 2.4 l/min

### PUMA AIRLESS SPRAYPACK 2303397 3460,00

Piston pump Puma 28-40 on stand	-
HP hose DN4, max. 27 MPa, NPS 1/4", 7.5 m	9984573
Airless gun AG 14, G-thread 1/4", incl. TradeTip 3 nozzle holder	0502081A
TradeTip 3 FineFinish nozzle, 512	554XXX
Release combination assy.	2329023
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SS	2329978
Suction pipe, stainless steel, rigid, DN16	2324158

**PUMA ON STAND 367168 3840,00**

**PUMA ON CART 367167 4020,00**

**PUMA ON WALL MOUNT 2301854 3020,00**

### ACCESSORIES

	Art. no.	€
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	174,00
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	638,00
Nozzle ACF3000 11/40	379XXX	102,00
5 litre hopper	2332169	249,00
Suction hose DN16	2324110	171,00



## Lightweight unit for use with air-atomising paint guns in the low pressure range

- **Economical:** compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- **Extremely low-pulsation:** perfect for lower-pressure applications
- **Reliable double diaphragm pump technology:** for high delivery volumes



**Easy and comfortable:** All control- and adjustment elements as like compressed air regulator for pump, material pressure and atomizing air are positioned on the front control panel at a comfortable operating position.

**Modularity:** Zip 52 can be mounted in different ways - stand, trolley or wall mounting bracket.

**Flexible suction hose:** for processing directly from the original container.

### BASIC UNIT

**High-performance double diaphragm pump:** Long-lasting membranes ensure high pumping speed and therefore maximum performance over a long period without wear.

**Minimale pulsation:** with the innovative Fine Flow Controller. It regulates precisely and constantly the material pressure even when it is necessary to circulate the paint while spraying.

### Perfect Flow



### Spraypack



ACCESSORIES	Art. no.	€
Filter pad, 60 meshes	T500.00	17,20
Filter pad, 100 meshes	T500.00A	17,20
Filter pad, 150 meshes	T500.00B	17,20
Stand	T760.00S	128,00
Clutch and wheel set, for conversion from stand to cart	T760.00R	94,80
Restricted fitting: A = R3/8", I = Rp1/4"	3202252	8,32
Hose pack DN6, 7.5 m, material 3/8", air 1/4"	3677249	329,00
Hose pack DN9, 7.5 m, material 3/8", air 1/4"	3677250	398,00
Cart set with wheels	T760.00SR	208,00
Wall bracket	T760.00M	52,00
PILOT Trend MP paint connection 1.5 mm	V1061304153	218,00
5L hopper set	2328487	247,00
Suction hose, flexible	T406.00	100,00



52 l/min

ZIP 52 ALUMINIUM BASIC UNIT	2301832	1220,00
ZIP 52 STAINLESS STEEL BASIC UNIT	2301836	2150,00
ZIP 52 PERFECT FLOW	2301838	1090,00
ZIP 52 SPRAYPACK	2309669	1980,00

# COBRA 40-10 AC



## The best-selling unit in the AirCoat range: To satisfy the most demanding coating needs

- **Flexible:** Very small volume processing with hopper or work directly from the original container
- **When used with hopper:** Frequent colour changes are no problem thanks to the unit's easy-to-clean design
- **Unique double diaphragm technology:** Perfect for materials sensitive to shearing and moisture as well as for premixed 2K materials



- **Low maintenance:** rapid assembly and disassembly of the inlet and outlet valves

**To adapt optimally to different materials, there is a choice of three air caps:** blue (for water-based materials), red (for solvent-based materials) or green (for water-based and solvent-based materials. Their low air consumption saves energy and costs.)

**No tools:** needed to open the filter housing for cleaning or to replace the filter.

**Precise:** adjustment of air flow thanks to the integrated AirCoat regulator. The pressure levels can be checked at any time on the pressure gauge.

**High-quality AirCoat gun:** Continuous adjustment of air and jet width and smooth air and material joints.

**Ideally suited for the application of small quantities:** Thanks to the ease of cleaning, fast colour changes are possible at any time.

**Very easy handling:** Thanks to its small cross-section of 3 mm, the flexible double hose contains just a small amount of material, making it easy to fill and quick to clean.

**Light weight:** The low weight of 23 kg and the stable metal frame make the Cobra 40-10 compact and practical.



### COBRA 40-10 AC SPRAYPACK 322112 4750,00

Basic unit, Cobra 40-10, Skid version	-
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157
Nozzle ACF3000 11/40	379411
AirCoat controller add-on kit	2328611
5 litre hopper EX	2344505

### ACCESSORIES Art. no. €

HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	174,00
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	638,00
AirCoat gun AC 4500, red air cap and holder (without nozzle)	2368271	506,00
Suction hose DN16	2324110	171,00
Return hose DN6	2329046	168,00


# ACCESSORIES – AIRCOAT APPLICATIONS

PRESSURE GAUGE / AIRCOAT CONTROLLER	Art. no.	€
Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4" (for material pressure)	340256	76,50
Pressure gauge combination complete 250 - 400 bar, l = M16x1.5, A = M16x1.5 (for material pressure)	97061	93,84



Pressure gauge

Double hose with material and air supply




AIRCOAT HOSES	Art. no.	€
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m	9984596	184,00
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	174,00
HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306802	177,48
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m	2302378	177,48
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	187,68
HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306803	177,48
Air hose, DN6, 1/4", 10 m, for HP double hose	2304451	47,40
Air hose, DN6, 1/4", 7.5 m, for HP double hose	2304449	41,00
Protective tubing, 10 m, for HP double hose	2305871	49,37
Protective tubing, 7.5 m, for HP double hose	2305870	38,66

EXTENSIONS + AIR CAPS	Art. no.	€
AirCoat nozzle extension, 30 cm	394090	310,00
Blue air cap for water-based materials (water-based paints), incl. union nut	394911	136,00
Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut	394912	136,00
Red air cap for solvent-based materials, incl. union nut	394910	136,00
Union nut complete	394921	35,50

AirCoat air caps - for every material







<b>AIRCOAT GUNS</b>	<b>Art. no.</b>	<b>€</b>
AC 4500 P, incl. blue air cap and holder (without nozzle)	2368269	506,00
AC 4500 P, incl. green air cap and holder (without nozzle)	2368270	506,00
AC 4500 P, incl. red air cap and holder (without nozzle)	2368271	506,00
AC 4600 P, incl. blue air cap and holder (without nozzle)	394156	638,00
AC 4600 P, incl. green air cap and holder (without nozzle)	394158	638,00
AC 4600 P, incl. red air cap and holder (without nozzle)	394156	638,00

## NOTES



## AIRCOAT NOZZLES ACF 3000

The dome-shaped geometry and high-tech sanding and erosion methods during manufacture ensure extremely fine atomisation with low energy consumption (material pressure). For a long service life and low wear and tear, the nozzle is made from resistant hard metal. The WAGNER AirCoat nozzle ensures brilliant paint finishes: An even spray pattern and extremely gentle graduated borders are guaranteed. This applies to both small and large quantities of atomised air.

Art.no. 379xxx

102.00 €/pc.

Nozzle bore (inch)

	0.007	0.009	0.011	0.013	0.015	0.017	0.019	0.021	0.023	
55	107		111	113	115					10
100	207	209	211	213	215	217	219	221		20
145	407	309	311	313	315	317	319			30
195		409	411	413	415	417	419	421	423	40
250		509	511	513	515	517	519	521		50
300		609	611	613	615	617	619	621	623	60
400			811	813	815	817	819	821	823	80
Filter	red		red/yellow		yellow		yellow/white	white		



Water and solvent-based lacquers, lacquer paints, oils, separating agents



Synthetic resin varnishes, PVC lacquers, 2K lacquers



Primers, fillers



Filler, rust protection paints



Rust protection paints, latex paints



Rust protection paints

## AIRCOAT PRE-ATOMISATION NOZZLES ACF 3000 PLUS



AirCoat pre-atomisation nozzles provide extra fine atomisation even with low inlet air pressure. This is especially important for processing water- or solvent-based paints. Using a pre-atomisation nozzle allows you to work with less material and air quantity. There is significantly less overspray and material consumption decreases. Compared to the standard AirCoat nozzle the material is pre-atomised directly at the outer edge of the nozzle. The result: an especially even and soft spray pattern.

Art. no. 321xxx

115.00 €/pc.

Nozzle bore (inch)

	0.008	0.010	0.012	0.014	0.016	0.018	0.020	0.022	
100	208	210	212	214	216	218			20
145	308	310	312	314	316	318	320		30
195	408	410	412	414	416	418	420	422	40
250	508	510	512	514	516	518			50
300		610	612	614	616	618	620	622	60
Filter	red		red/yellow		yellow	yellow/white	white		



Water and solvent-based lacquers, lacquer paints, oils, separating agents



Synthetic resin varnishes, PVC lacquers, 2K lacquers



Primers, fillers



Filler, rust protection paints



Rust protection paints, latex paints



Rust protection paints

\* Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

\*\* Measured with water at 120 bar pressure


# ACCESSORIES – AIRLESS PAINT APPLICATIONS

AIRLESS NOZZLES + HOLDER	Art. no.	€
2SpeedTip nozzles	271XXX	66,80
TradeTip 3 FineFinish nozzles	554XXX	51,40
TradeTip 3 nozzles	553XXX	46,20
HEA ProTip nozzles	554XXX	64,70
Adjustable fan tip nozzles	90XXX	141,00
Anti-contact guard, for adjustable fan tip	97294	10,80

You can find an overview of all nozzles in the download area on [www.wagner-group.com](http://www.wagner-group.com)



Various Airless nozzles



HP hose DN10

AIRLESS HOSES AND HOSE WHIPS	Art. no.	€
HP hose DN3, max. 27 MPa, M16x1.5, 7.5 m	9984584	89,00
HP hose DN3, max. 27 MPa, NPS 1/4", 10 m	2301052	118,19
HP hose DN3, max. 27 MPa, NPS 1/4", 7.5 m	9984583	92,00
HP hose DN4, max. 27 MPa, M16x1.5, 7.5 m	9984510	97,00
HP hose DN4, max. 27 MPa, NPS 1/4", 10 m	2302374	101,00
HP hose DN4, max. 27 MPa, NPS 1/4", 7.5 m	9984573	97,00
HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	158,00
HP hose DN6, max. 27 MPa, M16x1.5, 30 m	9984562	290,00
HP hose DN6, max. 27 MPa, NPSM 1/4", 15 m	9984574	158,00
HP hose DN6, max. 27 MPa, NPSM 1/4", 30 m	9984575	290,00
Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	51,40
Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE	9984456	51,40
Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m	9984569	48,40



# ACCESSORIES – AIRLESS PAINT APPLICATIONS

AIRLESS GUNS	Art. no.	€
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	337,00
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	430,00
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	337,00

Airless gun Vector Grip



Always the right distance to the object



AIRLESS NOZZLE EXTENSIONS (WITHOUT NOZZLE)	Art. no.	€
15 cm, G-thread, with holder	556074	70,90
30 cm, G-thread, with holder	556075	76,00
45 cm, G-thread, with holder	556076	81,00
60 cm, G-thread, with holder	556077	86,00



## OTHER ACCESSORIES

### HOPPERS FOR USE IN POTENTIALLY EXPLOSIVE AREAS

	Art. no.	€
5 litre, for pneumatic piston pumps, incl. intake elbow	2332169	249,00
5 litre, for cobra	341267	129,00
Cover, for 5 litre hopper EX	340429	12,94
Filter disk D57, 0.4 fine, for hoppers	3756	6,30
Filter disk D57, 0.8 coarse, for hoppers	37607	10,50



Hopper for pneumatic piston pumps

Suction pipe for pneumatic piston pumps

### SUCTIONS SYSTEMS

	Art. no.	€
Suction hose DN16	2324110	171,00
Suction hose DN25	2324116	171,00
Suction pipe, stainless steel, rigid, DN16, for pneumatic piston pumps	2324158	116,00
Suction pipe DN25, stainless steel, rigid, for Wildcat / Puma	2323239	116,00

### CLEANING / STORAGE / PRESERVING

	Art. no.	€
EasyClean cleaning and conservation agent, 1 litre	2412656	16,30
TipClean, container incl. special cleaner	2400214	16,17
TipClean, container incl. special cleaner, box (24 pieces)	2400215	358,00
TipClean, refill bottle, 1 liter	2400216	20,50

### GUN FILTER

	Art. no.	€
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	3,70
Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	26,30
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	3,70
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	26,30
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	3,70
Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	26,30

For other accessories such as filters, cleaning agents, double connectors and much more please contact your trusted specialist dealer

TipClean with hourglass bottle for cleaning the nozzles



# BE UNSTOPPABLE!

VISIT US AT

