

# TITAN™

*Advanced Performance. Total Reliability.*

# PERFORMANCE series

*Electric Airless Paint Sprayers*

**Titan is the Leader in  
Airless Spray Technologies**



450e  
650e  
750e  
850e  
1150e



# Performance SERIES 450e

- The new 450e was designed to minimize size and weight and maximize performance.
- The 450e delivers the highest performance in this size.
- It is excellent for residential and smaller commercial jobs.

1.8 l/min  
.021" Max Tip  
214 bar  
KW .83  
In-line Filter  
Complete with LX-80" Gun, Hose & Tip

## PERFORMANCE series



# Performance SERIES 650e

- The new 650e delivers 27% more output than the 450e and comes in two different configurations.
- The 650e is ideal for everyday usage and able to spray stains and sealers to enamel and latex paint.

2.3 l/min  
.024" Max Tip  
214 bar  
1.0 kW DCX  
Full Size Manifold Filter  
Complete with LX-80" Gun, Hose & 517 Tip  
5 m Power Cord



### 450e Specifications

Max. Delivery	1.8 l/min (0.47 GPM)
Max. Tip Size	.021"
Max. Operating Pressure	214 bar (3100 PSI)
Weight	15.2 kg (33.5 lbs.)
Motor	KW .83 (1.1 HP)
Voltage/Amp.	230V / 6.0A 110V / 11.5A

#### Configurations:

Complete with LX-80" gun, 517 SC-6 reversible tip and 1/4" X 15M (50') airless hose.

### 650e Specifications

Max. Delivery	2.3 l/min (0.60 GPM)
Max. Tip Size	.024"
Max. Operating Pressure	214 bar (3100 PSI)
Weight (high rider)	24.8 kg (54.6 lbs.)
Weight (skid)	17.8 kg (39.3 lbs.)
Motor	KW 1.0 (1.35 HP)
Voltage/Amp.	230V / 5.7A 110V / 12.5A


#### Configurations:

Complete with LX-80" gun, 517 SC-6 reversible tip and 1/4" X 15M (50') airless hose.



Experience the Titan

# PERFORMANCE series



## Performance SERIES 750e

- Delivering 17% more output than the 650e, the new 750e is the perfect sprayer for residential repaints and smaller commercial jobs.
- It's the ideal one-man sprayer; lightweight and portable, yet rugged and dependable.
- Sprays all coatings, from stains and sealers to enamel, latex and light elastomers.

**2.7 l/min**  
**.027" Max Tip**  
**214 bar**  
**1.2 kW PMDC Brushless Motor**  
**Full-Size Manifold Filter**  
**Electronic Pressure Control**  
**5 m Power Cord**  
**Complete with LX-80II Gun, Hose & 517 Tip**



### 750e Specifications

Max. Delivery	2.7 l/min (0.70 GPM)
Max. Tip Size	.027"
Max. Operating Pressure	214 bar (3100 PSI)
Weight (high rider)	29.5 kg (65 lbs.)
Weight (skid)	21.2 kg (46,8 lbs.)
Motor	1.2 kWPMDCCBrushless (1.70 hp)
Voltage/Amp.	230V / 6.5A 110V / 13.1A

**Configurations:**  
Complete with LX-80" gun, 517 SC-6 reversible tip and 1/4" X 15M (50') airless hose.



# Performance SERIES 850e

- With all the features you would expect from a larger sprayer, the new 850e is the ideal sprayer for residential repaints, new construction and industrial and commercial jobs.
- Capable of supporting two guns with 150' of hose. Spray everything, from stains, lacquer, enamel, latex, block fillers and elastomerics.

3.2 l/min  
.029" Max Tip-One Gun  
.017" Max Tip-Two Guns  
214 bar  
1.4 kW PMDC Brushless Motor  
Full-Size Manifold Filter  
Electronic Pressure Control  
5 m Power Cord  
Complete with LX-80" Gun, Hose & 517 Tip



# Performance SERIES 1150e

- The new 1150e is designed to be used everyday on all residential, industrial and commercial applications spraying with one gun or two.
- Powerful and reliable this unit sprays all materials from stains, lacquer, enamel, latex, epoxies, block fillers and elastomerics.

4.4 l/min  
.033" Max Tip-One Gun  
.021" Max Tip-Two Guns  
214 bar  
1.6 kW PMDC Brushless Motor  
Full-Size Manifold Filter  
Electronic Pressure Control  
5 m Power Cord  
Use up to 300 feet of hose  
Complete with LX-80" Gun, Hose & 517 Tip

**PERFORMANCE**  
series

## 850e Specifications

Max. Delivery	3.2 l/min (0.85 GPM)
Max. Tip Size 1 Gun	.029"
2 Guns	.017"
Max. Operating Pressure	214 bar (3100 PSI)
Weight (high rider)	40.0 kg (88.0 lbs.)
Motor	1.4 kW PMDC Brushless (1.95 hp)
Voltage/Amp.	230V / 4.6A 110V / 13.0A

### Configurations:

Complete with LX-80" gun, 517 SC-6 reversible tip and 1/4" X 15M (50') airless hose.

## 1150e Specifications

Max. Delivery	4.4 l/min (1.15 GPM)
Max. Tip Size 1 Gun	.033"
2 Guns	.021"
Max. Operating Pressure	214 bar (3100 PSI)
Weight (high rider)	47.6 kg (105 lbs.)
Motor	1.6 kW PMDC Brushless (2.2 hp)
Voltage/Amp.	230V / 7.85A 110V / 13.5A

### Configurations:

Complete with LX-80" gun, 517 SC-6 reversible tip and 1/4" X 15M (50') airless hose.

# Performance Series Accessories

## SC-6 Reversible Tip

"The Longest-Lasting Tip in the Industry"

- Universal size fits most bases
- Fewer passes and better coverage than competitors because of full fan pattern with minimal feathering
- New one-piece seal and retainer  
Product No. 661-XXX



## Synergy Reversible Tip

Fine Finish Tip

Product No. 671-XXX



## WideSpray Reversible Tip

High Production Tip

Product No. 661-XXXX



**Titan PUMP RUNNER**



SC-6 Reversible Tip Guard 7/8"	661-012
LX-80 <sup>II</sup> Gun w/SC-6 Tip	580-100
LX-80 <sup>II</sup> Gun, Tip & Hose Kit	580-050
Reel-EZ 40 cm Hose Reel for 30.5 m 1/4" hose	769-100
Reel-EZ 25 cm Hose Reel for 15.2 m 1/4" hose	769-200
15 cm Gun Extension	651-070
30 cm Gun Extension	651-071
46 cm Gun Extension	651-072
61 cm Gun Extension	651-073
90 cm Extension Pole	310-383-1
180 cm Extension Pole	310-386-1
Extension Pole Swivel	651-139
Spray/Roll Application Kit	310-110
23 cm Telescoping Pressure Roller Kit	310-950
1/4" x 15 m Airless Hose, 214 bar	316-505
3/16" x 1 m Airless Whip Hose	550-240
Extra Fine Gun Filter, Red	500-200-15
Fine Mesh Gun Filter, Yellow	500-200-10
Medium Mesh Gun Filter, White	500-200-06
Coarse Mesh Gun Filter, Green	500-200-03
Medium Mesh Manifold Filter	730-067
Small Inlet Screen (Rock Catcher)	700-805
Large Inlet Screen (Rock Catcher)	710-046
Piston Lube – 240 ml Bottle	314-480
Piston Lube – 120 ml Bottle	314-481
LS-10 Liquid Shield Plus – 1 l Bottle	314-482
LS-10 Liquid Shield Plus – 120 ml Bottle	314-483

Imported by

Distributed by

### International Sales

**Titan Tool, Inc.**

1770 Fernbrook Lane

Minneapolis, MN 55447

international@titantool.com

Fax 1-201-405-7449

Visit us at: [www.titantool.com/international](http://www.titantool.com/international)

All information contained in this brochure is based on the latest information available at time of printing. Titan reserves the right to make changes at any time, without notice.